

(U) ECURITY CLAS	SIFICATION OF	THIS PAGE			<u></u>			
	Tir		TEROPT DOCUM	MENTATION I	PAGE		(
a. REPORT SECURAL (U)				16 RESTRICTIVE MARKINGS NA				
a. SECURITY (LASS A	ND-A1	87 300	3 DISTRIBUTION/AVAILABILITY OF REPORT Distribution unlimited S MONITORING ORGANIZATION REPORT NUMBER(S)				
b. DECLASSIFI	CATIC							
. 0505000400	NA COSCANIZATI	ON REPORT NUMI	ac pres					
			ool of Medicine	5. MONITORING	ORGANIZATION	REPORT NUMB	ER(S)	
OCINIS IN	opkins our	.versicy Scik						
	· -	ORGANIZATION	6b. OFFICE SYMBOL (If applicable)	73 NAME OF MONITORING ORGANIZATION				
Johns Ho	opkins Uni	versity	NA	Office of Naval Research				
c. ADDRESS (City, State, and	1 ZIP Code)		7b ADDRESS (City, State, and ZIP Code)				
Departme	ent of Bio	logical Cher	mistry	800 N. Quincy St.				
_		Baltimore,	-	Arlington, VA 22217-5000				
	FUNDING / SPO	NSORING	8b. OFFICE SYMBOL	9 PROCUREMENT	T INSTRUMENT	DENTIFICATION	NUMBER	
ORGANIZA Office	TI ON of Naval F	lesearch	(If applicable) ONR	N00014-87-K-0038				
Sc. ADDRESS (City, State, and ZIP Code)				10 SOURCE OF FUNDING NUMBERS				
				PROGRAM	PROJECT	TASK	WORK UNIT	
800 N. Quincy St. Arlington, VA 22217-5000				ELEMENT NO	NO.	NO	ACCESSION NO	
	ude Security C			61153N	RR04108			
Tsong, 13a. TYPE OF Annual	Tian Y.	13b. TIME	COVERED 12/1/86 TO 9/30/87	14. DATE OF REPO 10/6/87	ORT (Year, Month		ECTE 1 2 0 1987 AGE COUNT	
6. SUPPLEME	NTARY NOTA	TION					ен	
17.	7. COSATI CODES 18. SUBJECT TERM				(Continue on reverse if necessary and identify by block number)			
FIELD 08	SISTO I GROUP I SUB-GROUP I			Potassium rubidium				
			300101.7	- Coleton				
9. ABSTRACT	(Continue on	reverse if necessa	ry and identify by block	number)				
of its applied coupled between of K ⁺ apast ye 1.0 kHz is 20 V accordistimula be inve	charges, hoscillating to driving the (Na, K) and Na again and that (/cm. An eng to the ting volta	melix dipoles. Ing electric Ing an endergo ()-ATPase of Ainst their Ish that the for Na eff electroconfo model. In Inge and optimand more quas	brane is structured and polarizabile field, the conformation. We have respective concerns optimum frequently at 1 MHz or humational coupling the continuation mum frequency, and analysis and polarizative analysis.	entrational oscillational oscillational oscillation distribution distr	ich a proteicillation of cigated how c. field leadent. Exper n equivalent optimum voluments coposed and l study the	in is expo f the prot such an i ads to act ciments do t of K ⁺) o tage for b the above relations	sed to an ein can be nteraction ive pumping ne in this occurs at oth pumps data analyzed hip between anisms will	
₩ NCLAS	SIFIEDAUNLIMI	BILITY OF ABSTRACTED SAME A						
Dr. J.	of RESPONSIBLI A. Majde	EINDIVIDUAL		226 TELEPHONE (202) 69	(Include Area Coo	te) 22c. OFFIC	E SYMBOL ONR	
DO FORM 1	473.84 MAR	83	APR edition may be used					

Personal sections of a provided described and chief of a proposition best and a section of the colored at

KAKKO KEKKINSINDOODO BISSISSI DIDDAGA KAKKING KIKATA KA

● [CCCCCCC] ● **23.**22.22.24.44 ● [CCCCCCC] ●

INTRODUCTION

The main objective of this project is to investigate how an electric field interacts with living cells or tissues. Specifically, we have been studying effect of electric fields on ion pumping activity of [Na,K]-ATPase. Our previous result shows that this enzyme can be activated to pump ions against their respective concentration gradient. However, data appropriate for interpretation have been limited to a.c. induced Rb+ uptake. It was shown that, at 3°C, with a 20 V/cm a.c. field the stimulated Rb+ uptake by human erythrocytes reached a value of 22 ion per sec per enzyme when the frequency of the a.c. field was 1 kHz. It was also shown that this activity was completely inhibited by ouabain, a potent inhibitor of [Na,K]-ATPase. However, data were not complete and we were not certain whether 1 kHz was the optimum frequency for the activation of [Na,K]-ATPase. Another uncertainty was that no Na⁺ pumping activity was stimulated by the a.c. field. This inability to stimulate the Na+ pump made our result suspect of experimental artifacts. Most reviewers agree that if we can demonstrate unequivocally the activation of the Nat and the K⁺ pumps by an a.c. field it would be a significant finding for understanding mechanisms of energy and signal transductions in cells. pressing goal for us last year was to refine our experiment to answer these questions.

PROGRESS REPORT

- 1. Maximum Rb⁺ uptake at 1.0 kHz: Our new experiments on the a.c. stimulated Rb⁺ uptake by human erythrocytes confirms the result of Serpersu & Tsong (J. Membrane Biol. 74, 191-201, 1983; J. Biol. Chem. 259, 7155-7162, 1984). In addition, experiments have been extended to include 200 Hz and 7000 Hz. In repeated measurements, the uptakes at 200 Hz and 7000 Hz were always less than that measured at 1.0 kHz. Figs. IA and IB compare the result of Serpersu & Tsong and that obtained recently by Liu & Tsong (1987, to be published). Data in Fig. IB greatly strengthen our confidence that the observed voltage stimulated Rb⁺ uptake is a real phenomenon and is not due to unsolicited experimental artifacts.
- 2. Activation of Na⁺ Pump: But the most crucial result we have obtained in this period is the activation of the Na⁺ pump which, again, was inhibited by ouabain. As we suspected, Na⁺ pump was activated at another frequency, 1 MHz. Whether 1 MHz is the optimum frequency for activating this pump remains unknown. Our present instrumentation can not reach frequency above 1 MHz. In the next year's budget, funds for purchasing a high frequency voltage generator (which can reach 20 MHz) are included, and we will be able to answer this question quickly. What is interesting is that the maximum stimulated Na⁺ efflux at 1 MHz using 20 V/cm field was about 33 ion per sec per enzyme, 1.5 times greater than that of the maximum Rb⁺ uptake at identical field strength, but at 1.0 kHz. This observation suggests that 1 MHz is close to, if not, the frequency optimum of the Na⁺ pump activation. Now that both Na⁺ and K⁺ pumps

おないしょうしゅう しょうじょうしょう しょうしょう 一てらららららり





Fig. I Voltage induced Rb⁺ uptake by human erythrocytes via [Na,K]-ATPase: Frequency dependence.

- A. Data of Serpersu & Tsong [J. Membrane Biol. $\underline{74}$, 191-201 (1983)]. For the experimental conditions please see the original paper. Open circles: data from samples stimulated with 20 V/cm a.c. field at different frequencies. Other symbols are data from controls.
- B. Data by Liu & Tsong [This work, to be published]. Measurements were extended to include 200 Hz and 7000 Hz. The result is similar to that shown in A, except that the general level of stimulated activity is lower. This is due to the use of red cells from different individual in this experiment. Other experimental conditions are identical to that used in A. The optimum frequency remains at 1 kHz.






Fig. II Voltage induced Na⁺ efflux in human erythrocytes via [Na,K]-ATPase.

- A. Dependence on field strength when an a.c. frequency of 1 MHz was used. The maximum occurs at 20 V/cm, identical to that obtained for ${\rm Rb}^+$ uptake using 1 kHz a.c. field.
- B. Frequency dependence using an a.c. field of 20 V/cm. Note that the X-axis is neither in linear nor in log scale. It is chosen only for presenting result conveniently. When log-scale is used, as in Fig. IB, the experimental line will rise sharply. Experimental conditions are identical to that given in Serpersu & Tsong's paper.

have been activated by the a.c. field, any reservation about these results can be dismissed. Figs. IIA and IIB give the result of a typical experiment with the Na⁺ pump.

3. Model Analysis: In the June of 1985, I proposed, at the meeting of the Bioelectrochemical Society in Bologna Italy, a model based on the idea that an applied electric field can induce protein conformational transitions which when coupled to ligand binding and dissociation steps can drive an endergonic reaction. Last year, in collaboration with Drs. Astumian, Westerhoff and Chen of NIH, we have done more analysis. The results of model simulations indicate that the concept of the electroconformational coupling is a viable mechanism for the transduction of energy and signal from an oscillating electric field. Our current interest is to investigate whether a stationary transmembrane potential can be modulated to become <u>locally</u> oscillatory by an internal mechanism of an enzyme for energy and signal transductions. We are investigating the possibility that F_0 subunit of mitochondrial ATPase is a potential modulating subunit of the enzyme.

PUBLICATIONS

- 1. Tsong, T.Y. & Astumian, R.D. (1986). Absorption and conversion of electric field energy by membrane bound ATPases. Bioelectrochem. Bioenerg. 15, 457-476.
- 2. Westerhoff, H., Tsong, T.Y., Chock, P.B., Chen, Y. & Astumian, R.D. (1986). How enzyme can capture and transmit free energy from an oscillating electric field. Proc. Natl. Acad. Sci. USA 83, 4734-4738.
- 3. Astumian, R.D., Chock, P.B., Tsong, T.Y., Chen, Y.D. & Westerhoff, H. (1987). Can free energy be transduced from electric noise? Proc. Natl. Acad. Sci. USA <u>84</u>, 434-438.
- 4. Tsong, T.Y. & Astumian, R.D. (1987). Electroconformational coupling and membrane protein function. Prog. Biophys. Mole. Biol. In press.
- 5. Tsong, T.Y. & Astumian, R.D. (1988). Electroconformational coupling: An efficient mechanism for energy transduction by membrane-bound ATPases. Ann. Rev. Physiol. <u>50</u>. In press.
- 6. Tsong, T.Y., Chauvin, F. & Astumian, R.D. (1987). Interaction of membrane proteins with static and dynamic electric fields via electroconformational coupling. In "Mechanistic Approaches to Interactions of Electromagnetic Fields with Living Systems", M. Blank & E. Findl, eds., Plenum Publ. Corp. In press.

E 8)10 PERCENTAGE FOR STATE STA